

Review

- We can declare an array of any type, even other arrays
- A 2D array is an “array of arrays”



```
float[][] myFloats = new float[10][20];
```
- All elements of a 2D array can be accessed using nested loops


```
for (int i=0; i<10; i++) {
    for (int j=0; j<20; j++) {
        myFloats[i][j] = random(100);
    }
}
```
- A ragged array is an array of nonuniformly sized arrays

Image Processing


- ... computing with and about data,
- ... where "data" includes the values and relative locations of the colors that make up an image.

An image is an array of colors



Color

- A triple of bytes [0, 255]
 - RGB or HSB
- Transparency (alpha)
 - How to blend a new pixel color with an existing pixel color



Accessing the pixels of a sketch

- **loadPixels()**
 - Loads the color data out of the sketch window into a 1D array of colors named pixels[]
 - The pixels[] array can be modified
- **updatePixels()**
 - Copies the color data from the pixels[] array back to the sketch window

A 100-pixel wide image

- First pixel at index 0
- Right-most pixel in first row at index 99
- First pixel of second row at index 100

0	1	2	3	...	98	99
100	101	102	103	...	198	199
200	201	202	203	...	298	299
300	301	302	303	...	398	399
400	401	402	403	...	498	499
500	501	502	503	...	598	599
600	601	602	603	...	698	699
700	701	702	703	...	798	799
800	801	802	803	...	898	899

The pixels[] array is one-dimensional

0	1	2	3	...	98	99	100	101	102	103	...

```
// shade
void setup() {
    size(100, 100);

    float b = 0.0;

    // Load colors into the pixels array
    loadPixels();

    // Fill pixel array with a grayscale value
    // based on pixel array index
    for (int i=0; i<10000; i++) {
        b = map(i, 0, 10000, 0, 255);
        pixels[i] = color(b);
    }

    // Update the sketch with pixel data
    updatePixels();
}
```



```
// whiteNoise
int nPixels;


void setup() {
    size(400, 300);
    nPixels = width*height;
}

void draw() {
    float b;

    // Load colors into pixels array
    loadPixels();

    // Fill pixel array with a random
    // grayscale value
    for (int i=0; i<nPixels; i++) {
        b = random(0, 255);
        pixels[i] = color(b);
    }

    // Update the sketch with pixel data
    updatePixels();
}
```



See also colorNoise.pde

Accessing Pixels as a 2D Array

- Pixels can be accessed as a 2D array using the following formula:

$$\text{Index} = (\text{Col}-1) + \#Columns * (\text{Row}-1)$$

Check it ...

- Using 0-based indexes...

```
int i = c + width*r;
pixels[i] = color(b);
```

```
// cone
void setup() {
    size(400, 400);

    float b = 0.0;


    // Load colors into the pixels array
    loadPixels();

    // Access pixels as a 2D array
    for (int r=0; r<height; r++) {
        for (int c=0; c<width; c++) {

            // Compute distance to center
            b = dist(c, r, 200, 200);

            // Set pixel as distance to center
            int idx = c + width*r;
            pixels[idx] = color(b);
        }
    }

    // Update the sketch with pixel data
    updatePixels();
}
```



```
// ripple
void setup() {
    size(400, 400);

    float d;
    float b;

    // Load colors into the pixels array
    loadPixels();


    // Access pixels as a 2D array
    for (int r=0; r<height; r++) {
        for (int c=0; c<width; c++) {

            // Compute distance to center point
            d = dist(c, r, 200, 200);

            // Compute ripple
            b = sin(d/5.0);
            b = ((200.0-d)/200.0)*map(b, -1.0, 1.0, 0, 255);

            // Set pixel as distance to center
            int idx = c + width*r;
            pixels[idx] = color(b);
        }
    }

    // Update the sketch with pixel data
    updatePixels();
}
```



Rendering Images in a Sketch

- Image data can be loaded from a file using `loadImage()` method, and drawn on a sketch with the `image()` command

```
PImage img = loadImage("myImage.jpg");
image(img, 0, 0);
```


- The `PImage` object also permits individual pixel color data to be modified.

— like the sketch window

Animating with Images

- Animations can be created using
 - Arrays of PImage objects, and
 - Transformations

Image Sequence



http://commons.wikimedia.org/wiki/File:Muybridge_race_horse_animated_184px.gif

```
// sequence
PImage[] sequence = new PImage[15];
int seqNum = 0;

void setup() {
  size(180, 138);

  // Load images into array
  for (int i=0; i<15; i++) {
    String fileName = "horse" + (i+1) + ".gif";
    sequence[i] = loadImage(fileName);
  }
  // Set frame rate
  frameRate(16);
}

void draw() {
  // Draw a new image on each draw
  image(sequence[seqNum], 0, 0);
  seqNum = (seqNum + 1) % 15;
}
```

```
// sequence2
PImage[] sequence = new PImage[15];
int seqNum = 0;
float xOffset = 0.0;

void setup() {
  size(800, 138);

  // Load images into array
  for (int i=0; i<15; i++) {
    String fileName = "horse" + (i+1) + ".gif";
    sequence[i] = loadImage(fileName);
  }
  // Set frame rate
  frameRate(16);
}

void draw() {
  // translate and draw a new image on each draw
  background(230);
  translate(xOffset, 0);
  image(sequence[seqNum], 0, 0);
  seqNum = (seqNum + 1) % 15;
  xOffset = (xOffset + 20.0) % width;
}
```

PImage

Fields

- | | |
|----------|--|
| width | - the width of the image |
| height | - the height of the image |
| pixels[] | - the image pixel colors
(after a call to loadPixels()) |

PImage

Methods

loadPixels()

Loads the color data out of the PImage object into a 1D array of colors named pixels[].

updatePixels()

Copies the color data from the pixels[] array back to the PImage object.

Also

- | | |
|--------------|--|
| red(color) | extract the red component of from color |
| blue(color) | extract the green component from a color |
| green(color) | extract the blue component from a color |

```
// warhol
void setup() {
    size(750, 327);
    // Load the image three times
    PImage warhol_r = loadImage("andy-warhol2.jpg");
    PImage warhol_g = loadImage("andy-warhol2.jpg");
    PImage warhol_b = loadImage("andy-warhol2.jpg");

    // Load pixels
    warhol_r.loadPixels();
    warhol_g.loadPixels();
    warhol_b.loadPixels();

    // Remove color components
    color c;
    for (int i=0; i<warhol_r.pixels.length; i++) {
        c = warhol_r.pixels[i];
        warhol_r.pixels[i] = color(red(c), 0, 0);

        c = warhol_g.pixels[i];
        warhol_g.pixels[i] = color(0, green(c), 0);

        c = warhol_b.pixels[i];
        warhol_b.pixels[i] = color(0, 0, blue(c));
    }

    // Draw modified images
    image(warhol_r, 0, 0);
    image(warhol_g, 250, 0);
    image(warhol_b, 500, 0);
}
```



PImage

Methods (Cont'd)

- get(...) Reads the color of any pixel or grabs a rectangle of pixels
- set(...) Writes a color to any pixel or writes an image into another
- copy(...) Copies pixels from one part of an image to another
- mask(...) Masks part of the image from displaying
- save(...) Saves the image to a TIFF, TARGA, PNG, or JPEG file
- resize(...) Changes the size of an image to a new width and height
- blend(...) Copies a pixel or rectangle of pixels using different blending modes
- filter(...) Processes the image using one of several algorithms

get(...)

- Get a single pixel (very slow)

```
Color c = img.get(x, y);
```

- Get a rectangular range of pixels

```
PImage img2 = img.get(x, y, w, h);
```

```
// crumble
int nTiles = 12*9;
Tile[] tiles = new Tile[nTiles];

void setup() {
    size(600, 450); // Load and display image
    imageMode(CENTER);
    PImage img = loadImage("bmc3.jpg");

    int c = 0; // Init all image tiles
    for (int y=25; y<450; y+=50) {
        for (int x=25; x<600; x+=50) {
            tiles[c] = new Tile(
                img.get(x-25, y-25, 50, 50), x, y);
            c++;
        }
    }
}


void draw() {
    background(127);

    // Randomly start tiles falling
    int j = (int)random(nTiles);
    tiles[j].falling = true;
    for (int i=0; i<nTiles; i++)
        tiles[i].draw();
    tiles[i].update();
}

// Draw tiles from the bottom to the top
for (int i=nTiles-1; i>0; i--)
    tiles[i].draw();

// Move and rotate tile to current location
// and draw
void draw() {
    resetMatrix();
    translate(x, y);
    rotate(angle);
    image(img, 0, 0);
}

// Update tile location and angle of rotation
void update() {
    if (!falling) return;
    if (y > height) return;
    angle = (angle + 0.1) % TWO_PI;
    y += 3.0;
}
```



tint(...)/noTint()

- tint() modifies the fill value for images

```
tint( gray );
tint( gray, alpha );
tint( red, green, blue );
tint( red, green, blue, alpha );
```

- Turn off applied tint() values with noTint()

```
// warhol2

void setup() {
    size(750, 327);

    // Load the image three times
    PImage warhol = loadImage("andy-warhol2.jpg");

    // Draw modified images
    tint(255, 0);
    image(warhol, 0, 0);

    tint(0, 255, 0);
    image(warhol, 250, 0);

    tint(0, 0, 255);
    image(warhol, 500, 0);
}
```



```
// fade
PImage[] img = new PImage[5];
int alpha = 255;
int i1 = 0, i2 = 1;


void setup() {
    size(600, 400);
    imageMode(CENTER);
    for (int i=0; i<img.length; i++) { // Load images
        img[i] = loadImage("bmcc"+i+".jpg");
    }
}

void draw() {
    background(255);

    // Fade out current image
    tint(255, alpha);
    image(img[i1], 300, 200);

    // Fade in next image
    tint(255, 255-alpha);
    image(img[i2], 300, 200);

    // Swap images when fade complete
    alpha--;
    if (alpha < 0) {
        i1 = (i1 + 1) % img.length;
        i2 = (i2 + 1) % img.length;
        alpha = 255;
    }
}
```



```
// pointillism
PImage img;

void setup() {
    size(600, 450);           // Load and display image
    img = loadImage("bmcc3.jpg");
    imageMode(CENTER);
    image(img, 300, 225);
    noStroke();
    ellipseMode(CENTER);
    loadPixels();              // Cover with random circles
    for (int i=0; i<20000; i++) addPoint();
}

void addPoint() {
    // Add a random filled circle to image
    int x = (int)random(width);
    int y = (int)random(height);
    int i = x + width*y;
    color c = pixels[i];
    fill(c);
    ellipse(x, y, 7, 7);
}

void draw() {
    //addPoint();
}
```



Extending Processing with Libraries

- New objects can be added to Processing by "importing" libraries of prewritten code
- An extensive set of libraries are available
 - Video
 - Networking
 - Hardware Interfaces (Serial, Arduino)
 - Graphics (OpenGL)
 - Sound
 - Animation
 - User Interfaces
 - ...

<http://processing.org/reference/libraries/>

Video Library

- Classes
 - Capture : Grabs images/frames from a camera
 - Movie : Read movie frames and play movies
 - MovieMaker : Create movies from scratch
- Importing ...
 - Add the following line to the top of your program

```
import processing.video.*;
```

Creating a Video of Your Animation

- MovieMaker object

- A class used to create QuickTime movies

```
MovieMaker mm = new MovieMaker(
    this,                               // Parent sketch
    width, height,                     // Sketch size
    "myMovie.mov",                     // Video file
    30,                                // Frames per second
    MovieMaker.ANIMATION,              // Codec
    MovieMaker.HIGH);                  // Quality
```

- addFrame() method

- Adds a snapshot of the sketch to the movie as a new frame.

- finish() method

- Stops recording and closes the video file.

<http://processing.org/reference/libraries/video/MovieMaker.html>

A generic framework
for recording
animated sketches as
a movie

```
// Capture
// Import Video library
import processing.video.*;

// Declare MovieMaker object
MovieMaker mm;

void setup() {
    size(300, 300);

    // Create new MovieMaker object with target movie file
    mm = new MovieMaker(this, width, height, "myMovie.mov", 30,
        MovieMaker.ANIMATION, MovieMaker.HIGH);

    println("Recording...");

    // Put other setup here
    smooth();
}

void draw() {
    // Do all drawing ...
    ...
    // Add current sketch display to movie as new frame
    mm.addFrame();
}

// Stop recording when space bar is pressed
void keyPressed() {
    if (key == ' ') {
        mm.finish();
        println("Finished");
    }
}
```

```
// captureCrumble
// Generating a video of the crumble
```

```
import processing.video.*;
MovieMaker mm;

int nTiles = 12*9;
Tile[] tiles = new Tile[nTiles];

void setup() {
    size(600, 450); // Load and display image
    imageMode(CENTER);
    PImage img = loadImage("bmc3.jpg");

    int c = 0; // Init all image tiles
    for (int y=25; y<450; y+=50) {
        for (int x=25; x<600; x+=50) {
            tiles[c] = new Tile();
            tiles[c].img.get(x-25, y-25, 50, 50, x, y);
            c++;
        }
    }

    // Create new MovieMaker object
    mm = new MovieMaker(this, width, height,
        "myMovie.mov", 30,
        MovieMaker.ANIMATION,
        MovieMaker.LOSSLESS);
    println("Recording...");
}

void draw() {
    background(127);

    // Randomly start tiles falling
    int j = (int)random(nTiles);
    tiles[j].falling = true;
    for (int i=0; i<nTiles; i++)
        tiles[i].update();

    // Draw tiles from bottom to top
    for (int i=nTiles-1; i>=0; i--)
        tiles[i].draw();

    // Add current sketch to movie
    mm.addFrame();
}

// Stop recording on space bar
void keyPressed() {
    if (key == ' ') {
        mm.finish();
        println("Finished");
    }
}
```