

## The Object Class

- "Object" is the most general container
  - Object with a capital "O"
- Variables of type Object can hold any other type

```
Object o1 = new String("abc");
Object o2 = "abc";
Object o3 = new PImage(100, 100);
Object o4 = 123;
Object o5 = true;
```

## The Object Class

- Constructors

```
Object o = new Object();
```

- Fields

- Methods

```
// Tests for equality with Object o2
o.equals(Object o2)
```

```
// Returns a String representation of Object
o.toString()
...
```

<http://download.oracle.com/javase/7/docs/api/java/lang/Object.html>

## The Object Class

- Variables of type Object don't know the type they hold, so the compiler can't check for legal operations.

```
void setup() {
  Object o1 = "ABC";
  String o2 = "DEF";

  o2 = o2.toLowerCase();
  println(o2);

  //o1 = o1.toLowerCase();
  // Runtime Error
  // Object class does not have toLowerCase() method
}
```

## Type Casting

- We learned about type-conversion functions

```
int( ... ), float( ... ), boolean( ... ), ...
```

- Another way to convert from one type to another is called "type casting," which works by preceding an expression with the target type in parentheses.

```
float f = 12.0;
int i = (int)f; // Will not work without type cast
```

```
Object o = new PImage(100, 100);
PImage p = (PImage)o;
```

## Built-in Collection Classes

- **ArrayList**
  - A built-in object that stores and manages an *arbitrary* number of data items of any type (Objects).
  - Objects in an ArrayList are access by **index** [0..size-1]
- **HashMap**
  - A built-in object that stores and manages an *arbitrary* number of data items of any type (Objects).
  - Objects in a HashMap are access by a **key**, which can be another Object, frequently a String.

## ArrayList

- Constructors

```
ArrayList myList = new ArrayList();
ArrayList myList = new ArrayList(initialSize);
```

- Fields

- Methods

```
myList.size()                      // Returns the num of items held.
myList.add(Object o)                // Appends o to end.
myList.add(int idx, Object o)       // Inserts o at pos idx.
myList.remove(int idx)              // Removes item at pos idx.
myList.get(int idx)                // Gets items at idx. No removal.
myList.set(int idx, Object o)       // Replaces item at idx with o.
myList.clear()                     // Removes all items.
myList.isEmpty()                   // Returns true if empty.
```

### ArrayList Example – Box Dropper

```
// Box Dropper
ArrayList boxes = new ArrayList();

void setup() { size(500, 500); }

void draw() {
    background(0);

    for (int i = boxes.size()-1; i>=0; i--) {
        //boxes.get(i).draw(); // Fails. Why?
        Box b = (Box)boxes.get(i); // Type cast Object->Box
        b.y = b.y + b.v; // Physics
        b.v = b.v + 0.02;
        b.draw();
    }

    // Remove Box from ArrayList if below sketch
    if (b.y > height) {
        boxes.remove(i);
        println(boxes.size() + " boxes remaining");
    }
}

void mousePressed() {
    Box b = new Box(mouseX, mouseY);
    boxes.add( b );
    println( boxes.size() + " boxes in ArrayList" );
}
```

- Why can we not call draw directly on item in ArrayList?
- Why do we loop over ArrayList backwards?

### HashMap

#### – Constructors

```
HashMap myMap = new HashMap();
HashMap myMap = new HashMap(initialCapacity);
```

#### – Fields

#### – Methods

myMap.size()	// Returns num of items held.
myMap.put(Object key, Object o)	// Puts o in map at key
myMap.remove(Object key)	// Remove Object at key
myMap.get(Object key)	// Get Object at key
myMap.containsKey(Object key)	// True if map contains key
myMap.containsValue(Object val)	// True if map contains val
myMap.clear()	// Removes all items.
myMap.isEmpty()	// Returns true if empty.

### HashMap Example – High Score

```
// HighScore
HashMap scores = new HashMap();

void setup() {
    size(500, 500);
    // Init HashMap
    scores.put("Fred", 2);
    scores.put("Wilma", 4);
    scores.put("Barney", 10);
    scores.put("Betty", 5);
    scores.put("BamBam", 6);
    scores.put("Pebbles", 5);

    // Draw once
    noLoop();
    drawMap(scores);
}

void draw() { }
```

// Draw the HashMap to the sketch

```
void drawMap(HashMap hm) {
    background(0);
    fill(255);
    textSize(20);

    // Display all scores
    text(buildScore("Fred", scores), 100, 100);
    text(buildScore("Wilma", scores), 100, 150);
    text(buildScore("Barney", scores), 100, 200);
    text(buildScore("Betty", scores), 100, 250);
    text(buildScore("BamBam", scores), 100, 300);
    text(buildScore("Pebbles", scores), 100, 350);

    redraw();
}
```

// Build a return a String for displaying a Score

```
String buildScore(String name, HashMap hm) {
    String msg = name + ":" + hm.get(name).toString();
    return msg;
}
```

### ArrayList Example - Fireworks

